ISA

A Hendrix Genetics Company

PARENT STOCK

PRODUCT PERFORMANCE

BABCOCK WHITE

Babcock

www.hendrix-genetics.com

BABCOCK WHITE PARENT STOCK

Characteristics

Rearing period *(0 - 18 weeks)*

- % Mortality, females 5
- Body weight females at 18 wks (g) 1264
- Feed consumption per bird (kg) 6,58

Laying period

	Age in weeks		
	60	**65**	**70**
No. of eggs HH	231	256	280
No. hatching eggs HH	186	208	229
% Hatch of eggs set females	42	41	40
Saleable ♀♀ chicks HH	81	90	98
Average egg weight in (g)	63,7	63,9	64,2
% Mortality cum.	6,6	7,4	8,4
Body weight females (g)	1779	1786	1786
Body weight males (g)	2313	2339	2365
Average feed consumption	116	116	115

ISA
A Hendrix Genetics Company

03-2007

REARING CHART BABCOCK WHITE PARENT STOCK
BODY WEIGHT AND FEEDING PROGRAM

Weeks	Age in days	Feed intake per bird		Body weight at end of the week	
		per day (g)	cum. (kg)	females (g)	males (g)
1	0-7	9	0,06	64	67
2	8-14	19	0,20	125	145
3	15-21	25	0,37	198	234
4	22-28	31	0,59	272	335
5	29-35	39	0,86	353	429
6	36-42	45	1,18	439	528
7	43-49	50	1,53	521	627
8	50-56	54	1,90	605	732
9	57-63	57	2,30	685	837
10	64-70	59	2,72	764	938
11	71-77	62	3,15	835	1036
12	78-84	64	3,60	900	1126
13	85-91	66	4,06	963	1213
14	92-98	68	4,54	1027	1294
15	99-105	70	5,03	1089	1373
16	106-112	72	5,53	1144	1443
17	113-119	75	6,06	1202	1515
18	120-126	78	6,60	1264	1582

The information supplied in this guide is based on many actual flock results obtained under good environmental and management conditions.
It is presented as a service to our customers and should be used as a guide only. It does not constitute a guarantee or warranty of performance in any way.

ISA
A Hendrix Genetics Company
03-2007

Babcock

BABCOCK WHITE PARENT STOCK

PRODUCTION RECORDING CHART (1)

Age in wks	Lay HD %	Egg weight g	Egg prod. cum. HH p/wk	Egg prod. cum. HH cum.	Hatch. eggs %	Hatching eggs HH p/wk	Hatching eggs HH cum.	HOS %	Saleable ♀♀ chicks HH p/wk	Saleable ♀♀ chicks HH cum.	Mort. cum. %
18											
19	2,0		0,1	0,1							
20	11,0	47,8	0,8	0,9							0,1
21	30,0	50,8	2,1	3,0							0,3
22	55,0	53,3	3,8	6,8							0,5
23	80,0	55,2	5,6	12,4							0,7
24	88,0	56,5	6,1	18,5	32,0	2,0	2,0	33,8	0,7	0,7	0,9
25	90,0	57,6	6,2	24,7	42,0	2,6	4,6	37,0	1,0	1,6	1,1
26	91,5	58,4	6,3	31,1	60,0	3,8	8,4	38,5	1,5	3,1	1,3
27	92,0	59,0	6,3	37,4	72,0	4,6	12,9	40,7	1,9	4,9	1,5
28	92,0	59,5	6,3	43,7	80,0	5,1	18,0	42,1	2,1	7,1	1,6
29	92,0	59,9	6,3	50,1	85,0	5,4	23,4	43,1	2,3	9,4	1,8
30	92,0	60,3	6,3	56,4	88,0	5,6	28,9	43,6	2,4	11,8	2,0
31	92,0	60,7	6,3	62,7	89,0	5,6	34,5	44,3	2,5	14,3	2,2
32	92,0	61,0	6,3	69,0	90,0	5,7	40,2	44,8	2,5	16,8	2,3
33	92,0	61,2	6,3	75,2	90,0	5,7	45,8	44,8	2,5	19,4	2,5
34	92,0	61,4	6,3	81,5	91,0	5,7	51,6	45,1	2,6	22,0	2,7
35	92,0	61,6	6,3	87,8	91,0	5,7	57,2	44,8	2,6	24,5	2,8
36	91,6	61,8	6,2	94,0	91,0	5,7	62,9	44,8	2,5	27,0	3,0
37	91,2	62,0	6,2	100,2	91,0	5,6	68,5	44,8	2,5	29,6	3,1
38	90,8	62,1	6,1	106,3	91,0	5,6	74,1	44,8	2,5	32,1	3,3
39	90,4	62,1	6,1	112,4	91,0	5,6	79,7	44,6	2,5	34,6	3,4
40	90,0	62,2	6,1	118,5	91,0	5,5	85,2	44,2	2,4	37,0	3,6
41	89,6	62,3	6,0	124,5	92,0	5,6	90,8	44,2	2,5	39,5	3,7
42	89,2	62,4	6,0	130,5	92,0	5,5	96,3	44,1	2,4	41,9	3,9
43	88,8	62,5	6,0	136,5	91,0	5,4	101,7	43,9	2,4	44,3	4,0
44	88,4	62,6	5,9	142,4	91,0	5,4	107,1	43,9	2,4	46,6	4,2
45	88,0	62,6	5,9	148,3	91,0	5,4	112,5	43,6	2,3	49,0	4,3

ISA
A Hendrix Genetics Company

Babcock

BABCOCK WHITE PARENT STOCK

PRODUCTION RECORDING CHART (2)

Age in wks	Lay HD %	Egg weight g	Egg prod. cum. HH p/wk	Egg prod. cum. HH cum.	Hatch. eggs %	Hatching eggs HH p/wk	Hatching eggs HH cum.	HOS %	Saleable ♀♀ chicks HH p/wk	Saleable ♀♀ chicks HH cum.	Mort. cum. %
46	87,5	62,7	5,8	154,2	90,0	5,3	117,7	43,6	2,3	51,3	4,5
47	87,0	62,8	5,8	160,0	90,0	5,2	123,0	43,4	2,3	53,5	4,6
48	86,5	62,9	5,8	165,8	90,0	5,2	128,2	43,4	2,2	55,8	4,8
49	86,0	63,0	5,7	171,5	90,0	5,2	133,3	43,4	2,2	58,0	4,9
50	85,4	63,1	5,7	177,2	90,0	5,1	138,4	43,1	2,2	60,2	5,1
51	84,8	63,2	5,6	182,8	90,0	5,1	143,5	42,9	2,2	62,4	5,2
52	84,2	63,3	5,6	188,4	89,0	5,0	148,5	42,9	2,1	64,5	5,4
53	83,6	63,3	5,5	193,9	89,0	4,9	153,4	42,6	2,1	66,6	5,5
54	82,9	63,4	5,5	199,4	89,0	4,9	158,2	42,6	2,1	68,7	5,7
55	82,2	63,5	5,4	204,8	89,0	4,8	163,1	42,6	2,1	70,8	5,8
56	81,5	63,5	5,4	210,1	89,0	4,8	167,8	42,1	2,0	72,8	6,0
57	80,8	63,6	5,3	215,5	88,0	4,7	172,5	42,1	2,0	74,7	6,1
58	80,1	63,6	5,3	220,7	88,0	4,6	177,1	42,1	1,9	76,7	6,3
59	79,4	63,7	5,2	225,9	88,0	4,6	181,7	42,1	1,9	78,6	6,4
60	78,7	63,7	5,1	231,1	88,0	4,5	186,2	41,7	1,9	80,5	6,6
61	78,0	63,8	5,1	236,1	88,0	4,5	190,7	41,7	1,9	82,4	6,7
62	77,3	63,8	5,0	241,2	88,0	4,4	195,2	41,4	1,8	84,2	6,8
63	76,6	63,8	5,0	246,2	88,0	4,4	199,6	41,4	1,8	86,0	7,0
64	75,9	63,9	4,9	251,1	87,0	4,3	203,8	41,4	1,8	87,8	7,2
65	75,2	63,9	4,9	256,0	87,0	4,2	208,1	40,9	1,7	89,5	7,4
66	74,5	64,0	4,8	260,8	87,0	4,2	212,3	40,9	1,7	91,2	7,6
67	73,8	64,0	4,8	265,6	87,0	4,1	216,4	40,7	1,7	92,9	7,8
68	73,1	64,1	4,7	270,3	87,0	4,1	220,5	40,4	1,7	94,6	8,0
69	72,4	64,1	4,7	274,9	87,0	4,0	224,6	40,4	1,6	96,2	8,2
70	71,7	64,2	4,6	279,5	87,0	4,0	228,6	39,9	1,6	97,8	8,4

BABCOCK WHITE PARENT STOCK

BODY WEIGHT AND FEEDING PROGRAM

Age in wks	Period in prod.	Feed intake per bird		Body weight at end of week	
		p/day (g)	cum. avg. (kg)	female	male
21	1	96-102	2,5	1463	1795
22	1	99-105	3,2	1509	1845
23	1	101-107	3,9	1544	1887
24	1	104-109	4,7	1572	1926
25	2	105-111	5,5	1593	1951
26	2	106-113	6,2	1609	1977
27	2	107-116	7,0	1626	2008
28	2	107-117	7,8	1642	2030
29-32	3	108-119	11,0	1675	2085
33-36	4	110-120	14,2	1698	2126
37-40	5	111-120	17,4	1719	2167
41-44	6	112-119	20,7	1734	2196
45-48	7	112-119	23,9	1747	2228
49-52	8	113-118	27,1	1760	2262
53-56	9	113-118	30,4	1770	2289
57-60	10	113-118	33,6	1779	2313
61-64	11	113-118	36,8	1785	2334
65-68	12	113-118	40,1	1786	2355

At 20 weeks of age, 10% males and at 30 weeks 9% males is recommenced (take out weakest males)

ISA
A Hendrix Genetics Company

03-2007

Babcock

REARING GRAPH BABCOCK WHITE PARENT STOCK



Farm : _____ Hatch date : _____ No. males housed : _____

House no. : _____ Housing date : _____ No. females housed : _____

ISA
A Hendrix Genetics Company

03-2007

Babcock

PRODUCTION GRAPH BABCOCK WHITE PARENT STOCK



Farm : _____ Hatch date : _____ No. males housed : _____

House no. : _____ Housing date : _____ No. females housed : _____

ISA
A Hendrix Genetics Company

03-2007

Babcock

BODY WEIGHT GRAPH BABCOCK WHITE PARENT STOCK



Farm : _____ Hatch date : _____ No. males housed : _____

House no. : _____ Housing date : _____ No. females housed : _____

ISA
A Hendrix Genetics Company

03-2007